



Carleton
UNIVERSITY

Semantic Constraints for Data Quality Assessment and Cleaning

Leopoldo Bertossi★
Carleton University
Ottawa, Canada

★: Faculty Fellow IBM CAS
PI NSERC Strategic Network on BI (BIN)

Contents:

- (A) Integrity constraints, database repairing, and CQA
- (B) Data quality constraints
- (C) Contexts for data quality assessment and cleaning

**A. Integrity Constraints,
Database Repairing, and
Consistent Query Answering**

Characterizing Consistent Data wrt ICs

A database may not satisfy a given set of integrity constraints

What is the consistent data in an inconsistent database?

What are the consistent answers to a query posed to an inconsistent database?

A mathematically precise definition was needed

In (Arenas,Bertossi,Chomicki; PODS99) such a characterization was provided

Intuitively, the consistent data in an inconsistent database D is invariant under all minimal ways of restoring D 's consistency

That is, consistent data persists across all the minimally repaired versions of the original instance: the repairs of D

Example: For the instance D that violates
 $FD: Name \rightarrow Salary$

<i>Employee</i>	<i>Name</i>	<i>Salary</i>
	<i>page</i>	5K
	<i>page</i>	8K
	<i>smith</i>	3K
	<i>stowe</i>	7K

Two possible (minimal) **repairs** if only deletions/insertions of whole tuples are allowed: D_1 , resp. D_2

<i>Employee</i>	<i>Name</i>	<i>Salary</i>
	<i>page</i>	5K
	<i>smith</i>	3K
	<i>stowe</i>	7K

<i>Employee</i>	<i>Name</i>	<i>Salary</i>
	<i>page</i>	8K
	<i>smith</i>	3K
	<i>stowe</i>	7K

$(stowe, 7K)$ persists **in all** repairs: it is consistent information

$(page, 8K)$ does not; actually it participates in the violation of FD

A **consistent answer** to a query Q from a database D is an answer that can be obtained as a usual answer to Q from every possible repair of D wrt IC (a given set of ICs)

- $Q_1 : Employee(x, y)?$

Consistent answers: $(smith, 3K), (stowe, 7K)$

- $Q_2 : \exists y Employee(x, y)?$

Consistent answers: $(page), (smith), (stowe)$


CQA may be different from classical data cleaning!

However, CQA is relevant for data quality; an increasing need in business intelligence

It also provides concepts and techniques for data cleaning

Next DBMSs should provide more flexible, powerful, and user friendlier mechanisms for dealing with semantic constraints

In particular, they should allow to be posed queries requesting for consistent data; and answer them



Why not **an enhanced SQL?**

SELECT	Name, Salary
FROM	Employee
CONS/W	FD: Name → Salary;

(FD not maintained by the DBMS)

Paradigm shift: ICs are constraints on query answers, not on database states!

Depending on the ICs and the queries, tractable and intractable cases for CQA have been identified

For some tractable cases, query rewriting algorithms have been developed

$$Q(x, y): \textit{Employee}(x, y) \quad \mapsto$$

$$Q'(x, y): \textit{Employee}(x, y) \wedge \neg \exists z (\textit{Employee}(x, z) \wedge z \neq y)$$

For higher-complexity cases, specifications of repairs by means of logic programs with stable model semantics can be used


CQA becomes querying (as usual) a logic program, say a Datalog program with possible complex extensions

There are some implemented systems for CQA

- FO query rewriting (when possible)
- Graph-theoretic algorithmic methods
Repairs can be implicitly represented as, e.g. maximal independent sets in a conflict graph or hypergraph
- Based on optimized (disjunctive) logic programs with stable model semantics (plus DLV)

More recently: Increasing interest in computing a single, “good” repair, or even an approximate repair

As a form of data cleaning wrt IC violation or semantic problems



A natural application: **Virtual data integration**


No way to enforce consistency on the sources

Inconsistencies have to be solved on-the-fly, at query time

Many problems in CQA addressed in the last few years

- Query rewriting mechanisms
- Compact representations of all DB repairs: Graph-theoretic, logic programs with stable model semantics, disjunctive databases, models of theories in non-classical logics, etc.
- Identification of tractable vs. non-tractable cases
- Applications in virtual data integration, PDMS, etc.
- Implementations

Book in Morgan & Claypool Synthesis Lectures in Data Management



B. Data Quality Constraints

New Kinds of Constraints

Integrity constraints (ICs) have been around for a long time

They are used to capture the application semantics in the data model and database

They have been studied in general and have wide application in data management

A large body of research has been developed, in particular fundamental research

Methodologies for dealing with ICs are quite general and have broad applicability

Database repairing and CQA are newer contributions in this direction

On the other side:

Data quality assessment (DQ) and **data cleaning** (DC) have been mostly: **Ad-hoc, rigid, vertical, and application-dependent activities**

There is a lack of fundamental research in data quality assessment and data cleaning

Things are starting to change ...

Recently, DQ constraints have been proposed and investigated

They provide generic languages for expressing quality concerns

Suitable for specifying adaptive and generic DQ/C mechanisms

Proposed and studied by the Edinburgh DB group around Wenfei Fan

Conditional Dependencies (CDs)

Example: Database relation with FDs:

$FD_1: [CC, AC, Phone] \rightarrow [Street, City, Zip]$

$FD_2: [CC, AC] \rightarrow [City]$

CC	AC	Phone	Name	Street	City	Zip
44	131	1234567	mike	mayfield	NYC	EH4 8 LE
44	131	3456789	rick	crichton	NYC	EH4 8LE
01	908	3456789	joe	mtn ave	NYC	07974

FDs are satisfied, but they are “global” ICs

They may not capture natural data quality requirements, as related to specific data values (important in data quality assessment and data cleaning)

What about a *conditional functional dependency* (CFD)?

$$CFD_1: [CC = 44, Zip] \rightarrow [Street]$$

Conditional in that the FD of *Street* upon *Zip* applies when the country code is 44

Not satisfied anymore, and data cleaning may be necessary ...

More generally, CDs are like classical ICs with a *tableau* for forced data value associations

$CFD_2:$

$$[CC = 44, AC = 131, Phone] \rightarrow [Street, City = 'EDI', Zip]$$

When $CC = 44, AC = 131$ hold, the FD of *Street* and *Zip* upon *Phone* applies, and the city is *'EDI'*

Not satisfied either ...

CQA and database repairs have been investigated for CFDs
[Kolahi, Lakshmanan], [Beskales, Ilyas, Golab], ...

Conditional Inclusion Dependencies:

$$Order(Title, Price, Type = 'book') \subseteq Book(Title, Price)$$

It can be expressed in classical FO predicate logic:

$$\forall x \forall y \forall z (Order(x, y, z) \wedge z = 'book' \rightarrow Book(x, y))$$

Still a classic flavor ...

And semantics ...

Matching Dependencies (MDs)

MDs are related to **Entity Resolution** (ER)

ER is a classical, common and difficult problem in data cleaning

It is about discovering and matching records that represent the same entity in the application domain

Again, several ad hoc mechanisms have been proposed

ER, and DC in general, are fundamental for data analysis and decision making in BI

Particularly crucial in data integration, and even more in virtual data integration (VDI)

In VDI, DC and ER have to be made on-the-fly, at query time

MDs express and generalize ER concerns

They specify attribute values that have to be made equal under certain conditions of similarity for other attribute values

Example: Schema $R_1(X, Y), R_2(X, Y)$

$$\forall X_1 X_2 Y_1 Y_2 (R_1[X_1] \approx R_2[X_2] \longrightarrow R_1[Y_1] \doteq R_2[Y_2])$$

When the values for attributes X_1 in R_1 and X_2 in R_2 in two tuples are similar, then the values in those two tuples for attribute Y_1 in R_1 and Y_2 in R_2 must be made equal (matched)

(R_1 and R_2 can be same predicate)

\approx : Domain-dependent similarity relation

Introduced by W. Fan et al. (PODS 2008, VLDB 2009)

Although declarative, MDs have a procedural feel and a **dynamic semantics**

An MD is satisfied by a pair of databases (D, D') :

D satisfies the antecedent, and D' , the consequent, where the matching is realized

But this is local, one-step satisfaction ...

Our research: [ICDT'11,LID'11]

- Alternative, refined semantics for MDs
- Investigation of the dynamic semantics
- Definition and computation of clean instances
- Definition of “clean query answering”, and computational methods to obtain them
- Comparisons between clean instances wrt MDs and database repairs wrt FDs

MDs as originally introduced do not say how to identify values

$$\forall X_1 X_2 Y_1 Y_2 (R_1[X_1] \approx R_2[X_2] \longrightarrow R_1[Y_1] \doteq R_2[Y_2])$$

We have considered the two directions:

- With **matching functions** (MFs) (ICDT 2011), and
- Without MFs (LID 2011)

Matching Dependencies with MFs

“similar name and phone number \Rightarrow identical address”

D_0	<i>name</i>	<i>phone</i>	<i>address</i>
	John Doe	(613)123 4567	Main St., Ottawa
	J. Doe	123 4567	25 Main St.

\Downarrow

D_1	<i>name</i>	<i>phone</i>	<i>address</i>
	John Doe	(613)123 4567	25 Main St., Ottawa
	J. Doe	123 4567	25 Main St., Ottawa

A dynamic semantics!

$$m_{\text{address}}(\underline{\text{MainSt., Ottawa}}, \underline{\text{25MainSt.}}) := \underline{\text{25MainSt., Ottawa}}$$

Addresses treated as strings or objects, i.e. sets of pairs attribute/value

(Join work with Solmaz Kolahi and Laks Lakshmanan)

Semantics of MDs: [W. Fan et al., VLDB'09]

$$\varphi: R_1[X_1] \approx R_2[X_2] \rightarrow R_1[Y_1] \doteq R_2[Y_2]$$

$(D, D') \models \varphi$ if for every R_1 -tuple t_1 and R_2 -tuple t_2 :

$$t_1[X_1] \approx t_2[X_2] \text{ in } D \implies \begin{array}{l} t_1[Y_1] = t_2[Y_2] \text{ in } D' \\ t_1[X_1] \approx t_2[X_2] \text{ in } D' \end{array}$$

D' is **stable** if $(D', D') \models \Sigma$ (a set of MDs)

Dirty instance $D \Rightarrow D_1 \Rightarrow D_2 \Rightarrow \dots \Rightarrow D'$

↑
stable, clean instance!

- How are the MDs enforced?
- Can we expect that $(D, D') \models \Sigma$? (too strong)

Matching Functions: Some ingredients

- Set of MDs Σ
- For every attribute A with Dom_A
 - A similarity relation $\approx_A \subseteq Dom_A \times Dom_A$
reflexive and symmetric
 - A matching function

$$m_A : Dom_A \times Dom_A \rightarrow Dom_A$$
 idempotent, commutative, and associative

Induces a semilattice with partial order defined as

$$a \preceq_A a' \iff m_A(a, a') = a'$$


Least upper bound operator coincides with matching function

$$lub\{a, a'\} = m_A(a, a')$$

$a \preceq_A a'$ can be thought of in terms of **information contents**

A **semantic-domination lattice** is created (... “domain theory”)

- Domain-level lattice



- Tuple-level partial order:

$$t_1 \preceq t_2 \iff t_1[A] \preceq_A t_2[A] \quad (\text{f.a. } A)$$

- Relation-level partial order

$$D_1 \sqsubseteq D_2 \iff \forall t_1 \in D_1 \exists t_2 \in D_2 t_1 \preceq t_2$$

Instances can be “reduced” by eliminating tuples that are dominated by others

Theorem: The set of reduced instances with \sqsubseteq forms a lattice

Relevant for comparison of sets of query answers seen as instances ...

Clean Instances:

$$\varphi : R_1[X_1] \approx R_2[X_2] \rightarrow R_1[A_1] \doteq R_2[A_2]$$

One step of chase: Enforcing φ on $D \Rightarrow D'$

- In D , $t_1[X_1] \approx t_2[X_2]$, but $t_1[A_1] = a_1 \neq t_2[A_2] = a_2$
- In D' , replace them with $m_A(a_1, a_2)$

Clean instance: Stable instance resulting from chase

$$D_0 \Rightarrow D_1 \Rightarrow \dots \Rightarrow D_{clean}$$

Theorem: Matching functions idem, comm, assoc give us:

- Chase termination after polynomial number of steps
- $D_0 \sqsubseteq D_1 \sqsubseteq \dots \sqsubseteq D_{clean}$

In general:

- There could be multiple clean instances
- It may not hold $(D_0, D_{clean}) \models \Sigma$

For two special cases:

- Similarity-preserving matching functions

$$a \approx a' \implies a \approx \mathbf{m}_A(a', a'')$$

- Interaction-free MDs
- There is a unique clean instance D_{clean} , and
 - $(D_0, D_{clean}) \models \Sigma$

Clean answers to a query Q : (two bounds)

- Certain answers: $glb_{\sqsubseteq} \{Q(D) \mid D \text{ clean instance}\}$
- Possible answers: $lub_{\sqsubseteq} \{Q(D) \mid D \text{ clean instance}\}$

Assume only these two clean instances:

D'	<i>name</i>	<i>address</i>	D''	<i>name</i>	<i>address</i>
	John Doe	25 Main St., Ottawa		John Doe	Main St., Ottawa
	J. Doe	25 Main St., Ottawa		J. Doe	25 Main St., Vancouver
	Jane Doe	25 Main St., Vancouver		Jane Doe	25 Main St., Vancouver

Query Q : $\pi_{address} (\sigma_{name="J. Doe"} (R))$

Certain = {25 Main St.}

Possible = {25 Main St., Ottawa , 25 Main St., Vancouver}

Theorem: Computing certain clean answers is coNP-complete

Monotonicity?

$D \sqsubseteq D'$ is not set-inclusion

A query Q is **monotone** if: $D \sqsubseteq D' \implies Q(D) \sqsubseteq Q(D')$

Why not taking advantage of lattice-theoretic domain structure when posing queries?

Proposition: A positive relational algebra query composed of $\pi, \times, \cup, \sigma_{a \preceq A}, \sigma_{A_1 \bowtie_{\preceq} A_2}$ is monotone, where

$$\begin{aligned} t \in \sigma_{a \preceq A}(D) & \quad :\iff \quad a \preceq t[A] \\ t \in \sigma_{A_1 \bowtie_{\preceq} A_2}(D) & \quad :\iff \quad glb\{t[A_1], t[A_2]\} \neq \perp \end{aligned}$$

We obtain monotone queries

Monotonicity and clean query answering?

The two clean instances:

D'	<i>name</i>	<i>address</i>	D''	<i>name</i>	<i>address</i>
	John Doe	25 Main St., Ottawa		John Doe	Main St., Ottawa
	J. Doe	25 Main St., Ottawa		J. Doe	25 Main St., Vancouver
	Jane Doe	25 Main St., Vancouver		Jane Doe	25 Main St., Vancouver

Query $Q : \pi_{name}(\sigma_{\text{"25 Main St."} \preceq_{address}}(R))$ (is monotone)

$$Q(D') = \{\text{John Doe, J. Doe, Jane Doe}\}$$

$$Q(D'') = \{\text{J. Doe, Jane Doe}\}$$

$$Certain(Q) = \{\text{Jane Doe}\}$$

$$\text{We have: } Q(\text{glb}_{\sqsubseteq}\{D', D''\}) = Certain(Q)$$

In general, for the class \mathcal{D} of clean instances

Proposition: For a monotone query:

$$\begin{array}{ccc}
 \overbrace{Q(\text{glb}_{\sqsubseteq}\{D \mid D \in \mathcal{D}\})}^{D_{\downarrow}} & \sqsubseteq & \overbrace{\text{glb}_{\sqsubseteq}\{Q(D) \mid D \in \mathcal{D}\}}^{\text{certain}} \\
 \underbrace{\text{lub}_{\sqsubseteq}\{Q(D) \mid D \in \mathcal{D}\}}_{\text{possible}} & \sqsubseteq & \underbrace{Q(\text{lub}_{\sqsubseteq}\{D \mid D \in \mathcal{D}\})}_{D_{\uparrow}}
 \end{array}$$


- Under-approximate certain answers by $Q(D_{\downarrow})$
- Over-approximate possible answers by $Q(D_{\uparrow})$

Adding heuristics to chase to obtain approximations to $D_{\downarrow}, D_{\uparrow}$?

Ongoing Research:

- Make query posing/answering sensitive to semantic-domination lattice
- Approximate query answering based on relaxation using semantic domination lattice
- Computing clean answers from data subject to MDs (without physically cleaning it)
Query rewriting, approximations, ...
- Logic programs for clean QA in presence of MDs
LPs specify clean instances
LP-based declarative formulations of known ER algorithms, e.g. Swoosh
- ER and clean query answering in data integration

Declarative specifications for ER could be compiled into query answering!



On-the-fly ER!

Virtual data integration is a natural application scenario

C. Contexts for Data Quality Assessment and Data Cleaning

Contexts and Data Quality

A table containing data about the temperatures of patients at a hospital

TempNoon

	Patient	Value	Time	Date
1	Tom Waits	38.5	11:45	Sep/5
2	Tom Waits	38.2	12:10	Sep/5
3	Tom Waits	38.1	11:50	Sep/6
4	Tom Waits	38.0	12:15	Sep/6
5	Tom Waits	37.9	12:15	Sep/7

Is this quality data?

If not, is there anything to clean? What?

(Join work with Flavio Rizzolo)

We do not know ... It depends ...

Actually the table is supposed to contain *temperature measurements for Tom taken at noon by a certified nurse with an oral thermometer*

Is this quality data?

We still do not know ...

Maybe we can say something about the time

Maybe good enough for the time to be “around noon”
(meaning?)

Questions about the quality of this data make sense in a broader setting

The quality of the data depends on “the context”

A context that allows us to:

- make sense of the data
- assess the data
- on that basis, support data cleaning
- etc. (see below)

Contexts So Far

We find the term “context” in several places in computer science: databases, semantic web, KR, mobile applications, ...

Usually used for “*context aware* ... search, databases, applications, devices, ...”

Most of the time there is **no explicit notion of context**, but some mechanisms that take into account (or into computation) some contextual notions

Usually, time and geographic location, i.e. particular *dimensions*, but not much beyond

In our opinion, there is a lack of fundamental research in the area, specially for data management

Precise and formalized notions of context are rather absent

Contexts that can be implemented and used in a principled manner in data management systems

Some existing research:


- Contexts in ontologies and semantic web
Lately with emphasis on using logic programs to “bridge” implicit contexts
Impact on data management still pending
- Contexts in KR
They are denoted at the object level and a theory specifies their properties and dynamics
It is possible to talk about things holding in certain (named) contexts
- **Contexts in data management**
Usually in connection with specific dimensions of data, like time and place
Relevant specific research has been carried out
(Tanca et al., Torlone-Martinenghi, Spyrtos et al., ...)
A unifying framework seems to be missing

Contexts: A Vision

A general notion and theory of context have still to be developed


We envision it as follows:

- A logical theory \mathcal{T} is the one that has to be “put in context”
For example, a relational database can be seen as a theory
- The context is another logical theory, \mathcal{C}
 \mathcal{T} and \mathcal{C} may share some predicate symbols
- Actually, the connection between \mathcal{T} and \mathcal{C} is established through: **connection predicates and mappings**



In particular for applications in data management

In our data quality scenario: (VLDB'10 BIRTE WS, Springer LNBIP 48, 2011)



Database D can be seen as a logical theory, e.g. Reiter's logical reconstruction of a relational DB

In general, a contextual theory \mathcal{C} and mappings and their logical/computational processing have to support what we expect from a context

- Capturing and narrowing down **semantics**
 - By defining in \mathcal{C} predicates that are used in \mathcal{T} (e.g. “time close to noon”)
 - Contributing in \mathcal{C} with additional constraints for predicates used in \mathcal{T} , e.g. integrity constraints for table **TempNoon**)
 - Term **disambiguation**
- **Dimensions** for analysis and understanding of \mathcal{T} 's knowledge (generalizing multidimensional DBs, DWHS)

Why not more ambitious?

- Specifying and using notions of **relevance**
- **Explanation, diagnosis, causality**
- Capturing **commonsense** assumptions and practices

Research has been done lately, mainly around ontologies

Has to be applied in data management

Making it accessible to “practical” DB people

There is interest in industry

- **Assessment**, e.g. quality

Multidimensional Contexts

Temperature data at a hospital

Doctor requires temperatures taken with oral thermometer

Doctor expects this to be reflected in the table,

but the latter does not contain the information to make this assessment

An external context can provide that information, making it possible to assess the given data

The database under assessment is mapped into the context, for further data quality analysis, imposition of quality requirements, and cleaning

We can see the context as an ontology

Patient	Value	Time	Date	Ward
Tom Waits	38.5	11:45	Sep/5	1
Tom Waits	38.2	12:10	Sep/5	1
Tom Waits	38.1	11:50	Sep/6	1
Tom Waits	38.0	12:15	Sep/6	1
Tom Waits	37.9	12:15	Sep/7	1
Lou Reed	37.9	12:10	Sep/5	2
Lou Reed	37.6	12:05	Sep/6	2
Lou Reed	37.6	12:05	Sep/7	2

- Hospital guideline:


*“The temperature of patients in **standard care units** have to be taken with an **oral thermometer**”*

Captured by means of a rule (hard, or possibly, default rule)

Or a hard constraint

- The information in the context is commonly of a **multidimensional nature**

We embed (an extension of) the Hurtado-Mendelzon model for MDDBs into our ontological context



A specification of the hierarchical/dimensional hospital structure

Other dimensions could be easily considered, generating multidimensional (MD) contextual information, for additional and finer-granularity data quality assessment

Contextual roll-up can be used to access missing information at certain level, by lattice navigation

Mechanisms for querying database with taxonomies could be applied/embedded (Martinenghi & Torlone; ER10)

Many interesting issues open ...

Look Ahead

The general formalization and computational use of contexts is still an open problem

Many aspects of contexts have to be taken into account and modeled

Ours is a long term general research

Also in terms of applications to data quality assessment and cleaning

We have sketched some first steps in this direction

Next steps have to do with:

- Use of quality predicates (among those in \mathcal{P} on page 45)
Possibly of the kind specifically defined for capturing data quality concerns [Borgida, Mylopoulos, Lei; ER'08]
- Related to previous item, specification of *sense* (of data items) by imposing additional semantics
- Techniques for QA query answering

Final Remarks

In (database centered, lower-level) data management, data quality assessment usually deals with problems arising from the acquisition and integration of data: typos, inaccuracy, incompleteness, inconsistency, etc.

At the other end, **BI applications require data quality assessment at higher levels of abstraction**, where subjectiveness, usefulness, sense, and interpretation play a central role

From a BI perspective, the meaning of the data, in a broad sense, and therefore its quality, are context dependent

In our broad and long term research we are investigating the role and use of contexts in data quality assessment and cleaning

With flexible, adaptive and generic data quality frameworks, solutions and tools in mind

Extra Slides

On MDs:

- Under-approximate certain answers by $Q(D_{\downarrow})$
- Over-approximate possible answers by $Q(D_{\uparrow})$

Adding heuristics to chase to obtain $D_{\downarrow}, D_{\uparrow}$?

Under cleaning: not enforcing interacting MDs

Over cleaning: assuming matching functions are similarity preserving


Computing or approximating those two instances using D alone?

Associativity of MF is a natural assumption, not only because without it we can't have a lattice and termination of chase, etc., but also because it makes sense in any entity resolution process such as ours


That is, when during the process we identify three or more data values that are representing the same entity, the result of collapsing them into one value should not depend on the order in which we visit those values

If the aggregate function to be used is not associative, e.g. the average, we can always use union, and apply the aggregate function at the very end (average for instance)

Contexts in Data Quality Assessment



- Instance D is under assessment
- On RHS, also schema \mathcal{S} (or copy \mathcal{S}')
- Context \mathcal{C} is like a virtual/(semi)materialized data integration system
- The α_i are the mappings, like in VDISs or data exchange
- The C_i are contextual predicates/relations
- There are mappings to external sources E_i and quality predicates/relations P_i
- D' contains “ideal” contents for relations in D , as views




- Predicates in D' can be materialized through data in the R_i and additional message via \mathcal{C} (mapping composition at work)
- Quality-aware (QA) query answering about (or from) \mathcal{S} can be done on top of D'

Techniques for query answering in VDISs can be applied (specially if D' is not materialized)

- Quality assessment of D can be done by comparing its contents with D' (there are some measures)

A particular case of QA query answering



Measurements (contextual)

	Patient	Value	Time	Date	Instr
1	T. Waits	37.8	11:00	Sep/5	Oral Therm.
2	T. Waits	38.5	11:45	Sep/5	Tympanal Therm.
3	T. Waits	38.2	12:10	Sep/5	Oral Therm.

4	T. Waits	110/70	11:00	Sep/6	BPM
5	T. Waits	38.1	11:50	Sep/6	Oral Therm.
6	T. Waits	38.0	12:15	Sep/6	Oral Therm.

7	T. Waits	37.6	10:50	Sep/7	Tympanal Therm.
8	T. Waits	120/70	11:30	Sep/7	BPM
9	T. Waits	37.9	12:15	Sep/7	Oral Therm.

More concretely, given the data in D and \mathcal{C} , there may be a class \mathcal{I} of admissible contextual instances I for schema \mathcal{C}


Different cases, some of them ...

Example: (the simple case) A contextual instance *Measurements*

Initial table *TempNoon* (page 38, the R in D) is a view of *Measurements*, with mapping α

$$TempNoon(p, v, t, d) \longleftarrow Measurements(p, v, t, d, i)$$

Here, $\mathcal{I} = \{I\}$, a single admissible contextual instance



Measurements (contextual)

	Patient	Value	Time	Date	Instr
1	T. Waits	37.8	11:00	Sep/5	Oral Therm.
2	T. Waits	38.5	11:45	Sep/5	Tympanal Therm.
3	T. Waits	38.2	12:10	Sep/5	Oral Therm.

4	T. Waits	110/70	11:00	Sep/6	BPM
5	T. Waits	38.1	11:50	Sep/6	Oral Therm.
6	T. Waits	38.0	12:15	Sep/6	Oral Therm.

7	T. Waits	37.6	10:50	Sep/7	Tympanal Therm.
8	T. Waits	120/70	11:30	Sep/7	BPM
9	T. Waits	37.9	12:15	Sep/7	Oral Therm.

Now we impose quality requirements: (the R' and α^P above)


$$\text{TempNoon}'(p, v, t, d) \leftarrow \text{Measurements}(p, v, t, d, i),$$

$$11:30 \leq t \leq 12:30, i = \text{oral therm}$$

Here, $R'(I) \subseteq R(D)$, and $\Delta(R(D), R'(I))$ indicates how initial $R(D)$ departs from quality instance $R'(I)$

$$\text{TempNoon}'(I) \subsetneq \text{TempNoon}(D)$$

Quality query answering? (conjunctive queries)



View unfolding:

$$Q' \mapsto Q'' \in L(\mathcal{C}) \rightarrow I$$

Here: $Q''(I) \subseteq Q(D)$, as expected (monotone query and additional conditions)

Here, the idea is that the database at hand is a projection of an expanded, contextual database

We work with the latter, imposing on it additional quality requirements

Example: The difference with the previous case is that we have initial instance D , but there is an incomplete or missing contextual instance

Here the idea is to map D to the contextual schema, and impose there the quality requirements (expressed in a language associated to \mathcal{C})

Again: $TempNoon(p, v, t, d) \longleftarrow Measurements(p, v, t, d, i)$


Data are in $TempNoon(D)$, no (or some) data for $Measurements$

Instrument i could be obtained (or not) from additional contextual data)

As in LAV: Possible several admissible instances I in \mathcal{I}

Then, with the quality requirements:

$TempNoon'(p, v, t, d) \leftarrow Measurements(p, v, t, d, i),$
 $11:30 \leq t \leq 12:30, i = oral\ therm$



Possible several instances for
 schema S' : $D'(I)$ with $I \in \mathcal{I}$
 $(D'(I) \subseteq D)$

Quality of D ?

Quality measure: $QM(D) := (|D| - \max\{|D'(I)| : I \in \mathcal{I}\}) / |D|$

Distance to a class of quality instances (computation, estimation?)

Quality query answers?: Like certain answers on $\{D'(I) \mid I \in \mathcal{I}\}$
 (e.g. query rewriting via rule inversion)