

# Boundary Patrolling Problems

E. Kranakis  
Carleton University  
School of Computer Science  
Ottawa, Ontario, K1S 5B6, Canada

September 9, 2012


- Boundary Patrolling
  - Motivation
  - Problem
  - Setting
  - Related Work
  - Our Results
- Different Max Speeds
  - Related Problems
- Identical Speeds
  - Fragmented Terrains
- Conclusion

## Boundary Patrolling

- **Patrolling problems in computer games**
  - Safeguard a given region/domain/territory from enemy invasions.
- **Patrolling problems in robotics**
  - Patrolling is defined as the perpetual process of walking around an area in order to protect or supervise it.

# Problem

- A set of  $k$  mobile agents are placed on the boundary of a terrain.
- An intruder attempts to penetrate to the interior of the terrain through a point of the boundary, unknown to and unseen by the agents.
- The intrusion requires some period of time  $t$ .



- The agents are required to protect the boundary, arriving before the intrusion is complete.

# Setting (1/2)

- Each agent  $i$  has its own predefined maximal speed  $v_i$ , for  $1, 2, \dots, k$ .
- Agents are deployed on the boundary and programmed to move around the boundary, without exceeding their maximum speed.
- **Question:**  
for given speeds  $\{v_1, v_2, \dots, v_k\}$  and time  $\tau$ , does there exist a deployment of agents which protects the boundary from any intruder with intrusion time not exceeding  $\tau$ ?

- **Efficiency measure**

- How do you optimize the frequency of visits to the points of the environment?
- *Idleness* (or refresh time) is the time elapsed since the last visit of the node: can be average, worst-case, experimentally verified, etc,...
- In a way, given the input parameters you want to know what is the best effort result you can accomplish!

- **Patrolling Strategies**

- The patrolled environment can usually be approximated by some form of graph (*skeletonization*) whereby a skeleton of the environment is defined over which patrolling is being conducted.

# Related Work



- **Heuristics**

- based on variants of TSP for agents with limited resources [survey - Almeida et al. 2004]

- **No coordination** reasonable only for very simple agents

- many random walks have smaller refresh time than one [Alon et al. 2008, Elsaesser-Sauerwald 2009]

- **Centralized coordination** two main types of heuristics [Chevaleyre 2004]






- **Distributed coordination** using local information exchange

- tokens, pebbles, white boards, ant/swarm algorithms [Yanovski et al. 2001, Elor-Bruckstein 2010]






# Our Results

- **Goal:** minimize maximal idle time for a set of boundary patrolling robots with distinct maximal speeds ( $v_1, v_2, \dots, v_k$ )
- **Studied Environments**



- **Studied Strategies**



# Three Algorithms


- Algorithm 1. Proportional Partition
  - Suitable for Segments
- Algorithm 2. Uniform-Cyclic
  - Suitable for Cycles
- Algorithm 3: Hybrid
  - Combination of the above

# Partition-Based Strategies

- **Algorithm 1. Proportional Partition**

for  $k$  agents with maximal speeds  $(v_1, v_2, \dots, v_k)$

- 1 Partition the unit segment into  $k$  segments, such that the length of the  $i$ -th segment  $s_i$  equals  $\frac{v_i}{v_1+v_2+\dots+v_k}$ .



- 2 For each  $i$ , place the  $i$ -th agent at any point of segment  $s_i$ .
- 3 For each  $i$ , the  $i$ -th agent moves perpetually at maximal speed, alternately visiting both endpoints of  $s_i$ .

# Idle time of algorithm Proportional Partition

- On unit-length segment or circle, algorithm achieves idle time:

$$I = \frac{2}{v_1 + v_2 + \dots + v_k}.$$

- The idle time of any strategy on the unit-length segment or circle is bounded from below by:

$$I_{OPT} \geq \frac{1}{v_1 + v_2 + \dots + v_k}.$$

- In general, Proportional-Partition is a 2-approx strategy.
- On the circle**, there are some configurations for which the approximation ratio of 2 is tight.
- On the segment**
  - Theorem.** Proportional-Partition is optimal for 2 agents, for any  $v_1, v_2$ .
  - Conjecture.** Theorem generalizes to any number of agents.

- **Goal:** deploy (some of) the agents, all moving around the circle at the same speed, with equal spacing.
- **Algorithm 2. Uniform-Cyclic**  
for  $k$  agents with maximal speeds  $(v_1, v_2, \dots, v_k)$  on the (unidirectional) circle
- Let  $v_1 \geq v_2 \geq \dots \geq v_k$ .
  - 1 Choose  $r$  from the range  $1..k$ , so as to maximize:  $rv_r$
  - 2 Place agents  $1, 2, \dots, r$  at equal distances of  $1/r$  around the circle.
  - 3 Agents  $1, 2, \dots, r$  move perpetually counterclockwise around the circle at speed  $v_r$ .
  - 4 Agents  $r + 1, r + 2, \dots, k$  are not used by the algorithm.

# Idle time of algorithm Uniform Cyclic

- Algorithm Uniform-Cyclic achieves idle time:  $I = \frac{1}{\max_r rvr}$ .
- Since  $I_{OPT} \geq \frac{1}{v_1+v_2+\dots+v_k}$ , in general, Uniform-Cyclic is a  $(\ln k + 1)$ -approximation strategy.
- On the two-directional circle...
  - **Theorem.** Uniform-Cyclic is optimal for  $k = 2$  agents, for any  $v_1, v_2$ .
  - **Note:** Uniform-Cyclic is sometimes not optimal for  $k \geq 3$ .

On the uni-directional circle...

- **Theorem.** Uniform-Cyclic is optimal for  $k \leq 4$  agents, for any set of max. speeds.
- **Conjecture.** The theorem generalizes to any number of agents.

# Proof Outline for $k = 3$ (1/2)

- **Theorem.** On the uni-directional circle, algorithm Uniform-Cyclic is optimal for  $k \leq 4$  agents, for any set of max. speeds.
- **Proof for  $k = 3$**
- Let  $v_1 \geq v_2 \geq v_3$
- Fix an arbitrary point  $x$  of the circle.
- Consider the infinite sequence of visits to point  $x$  by different agents.
- Define patterns as substrings of this sequence, e.g.:
  - $[1, 3, 1]$  point  $x$  is visited by agent 1, next by agent 3, next by agent 1 again.
  - $[2, (13)]$  point  $x$  is visited by agent 2, next by agents 1 and 3 (meeting at  $x$ ).


# Proof Outline for $k = 3$ (2/2)

- Consider forbidden patterns: patterns which cannot appear in any strategy which has smaller idle time than algorithm Uniform-Cyclic.
  - E.g.:  $[3, 1, 2, 3]$  is a forbidden pattern, since one of the time periods between visits of two successive agents is of duration at least  $\frac{1}{3v_3}$ .
- All sequences containing the meeting of agents (12) include a forbidden pattern:  $[(12), 1][(12), 2][1, (12)][2, (12)][3, (12), 3]$
- Thus, agents 1 and 2 can never meet in a better strategy.
- Likewise, we show that no pair of agents can ever meet, and in the limit, the idle time of Uniform-Cyclic cannot be beaten.



# Case Study: Proportional Partition

- Horizontal axis represents time; vertical axis refers to the position of the corresponding agent on the circle (with 0 and 1 representing the same point)
- Two-directional circle,  $k = 3$ ,  $v_1 = 1$ ,  $v_2 = 1/2$ ,  $v_3 = 1/3$




- Proportional-Partition Algorithm:

$$l = \frac{1}{1 + 1/2 + 1/3} = \frac{12}{11}$$

# Case Study: Uniform

- Horizontal axis represents time; vertical axis refers to the position of the corresponding agent on the circle (with 0 and 1 representing the same point)
- Two-directional circle,  $k = 3$ ,  $v_1 = 1$ ,  $v_2 = 1/2$ ,  $v_3 = 1/3$




- Uniform-Cyclic:

$$l = 1$$

# Case Study: Hybrid

- Horizontal axis represents time; vertical axis refers to the position of the corresponding agent on the circle (with 0 and 1 representing the same point)
- There exist settings such that in order to achieve the optimal idle time, some agents need to move in both directions.
- two-directional circle,  $k = 3$ ,  $v_1 = 1$ ,  $v_2 = 1/2$ ,  $v_3 = 1/3$




- A hybrid strategy:

$$l = 35/36 < 1$$

# Similarities to Lonely Runner (Willis 1967)

- **Problem** There are  $k$  runners on a unit circle, running perpetually around with **constant** speeds  $\{v_1, v_2, \dots, v_k\}$ .
- They all start together from the same starting spot and continue running at their own speed forever.
- They never vary their speeds, stop, or interfere with each other.



- **Question:** Is it always true that for every runner, at some moment in time, their distance from the nearest runner will be at least  $1/k$ ?

# Progress?

- 40 years of incremental progress.
- Solved for  $k \leq 6$ .

k	Year Proved	Proved by
3	1972	Betke and Wills; Cusick
4	1984	Cusick and Pomerance; Bienia et al.
5	2001	Bohman, Holzman, Kleitman; Renault
6	2008	Barajas and Serra

- Problem difficult even for specific speeds.
- Some very recent progress using dynamic systems theory.
- Problem related to Diophantine approximation theory (Littlewood's conjecture) and number theory (Goldbach's and Polignac's conjectures).

# Example: Runners from the Origin

- $k$  runners start at 0, running at speeds  $1, 2, \dots, k$ .
- **Question:** Will there be a time when each runner will be distance at least  $\frac{2}{k}$  from the start?
- **Claim:** With positive probability there will be no runners in the interval  $I = [-a, a]$ , for some  $a$ .
  - Let  $E_i$  be the event that the  $i$ -th runner is in the interval  $I$ .
  - Since cycle has length one and a runner with speed  $i$  performs  $i$  laps in a unit of time,  $\Pr[E_i] = 2a$ , for each  $i$ .
  - Therefore  $\Pr[\exists (\text{runner in the interval } I)] \leq \sum_{i=1}^k 2a = 2ka$ .
  - For  $a < \frac{1}{2k}$  we derive that

$$\Pr[\text{no runner is in the interval } I] \geq 1 - 2ka > 0.$$

- Recall  $I$  has length  $2a$ , which is  $\approx \frac{1}{k}$ , when  $a \approx \frac{1}{2k}$ .

# Some Open Questions

- One of the main difficulties is that robots get to choose their speeds (up to a max value).
- What is the optimal solution to the boundary patrolling problem on the circle for agents with known maximal speeds?
  - solved for  $k \leq 2$ .
- Is a Proportional-Partition strategy optimal on the segment?
  - proved for  $k \leq 2$ .
- Is Uniform-Cyclic strategy optimal on uni-directional cycle?
  - proved for  $k \leq 4$ .
- Which strategies will work best for patrolling problems in geometric scenarios (area patrolling) and in graphs?
- How about fragmented domains?

- J. Czyzowicz, L. Gasieniec, A. Kosowski, E. Kranakis. Boundary Patrolling by Mobile Agents with Distinct Maximal Speeds. In proceedings of 19th European Symposium on Algorithms (ESA'11), Saarbruecken, Germany, September 05-07, 2011.
- A. Collins, J. Czyzowicz, L. Gasieniec, A. Kosowski, E. Kranakis, D. Krizanc, R. Martin, O. Morales Ponce. Optimal Patrolling of Fragmented Boundaries. To appear.