

# Multiplicative-Weight Update Method

---

Anil Maheshwari

[anil@scs.carleton.ca](mailto:anil@scs.carleton.ca)  
School of Computer Science  
Carleton University  
Canada

Motivating Problem

MWU Method

Potential Function

Randomization

$\pm 1$  Costs

Generalizations

Applications

Linear Programming

$\rho$ -Bounded Oracle for Set Cover LP

Conclusions

## Motivating Problem

---

# How to be an Expert?

**Task:** Predict whether the stock index will go  $\uparrow$  or  $\downarrow$  at the end of each day.

**Model:**

1. Access to  $n$  experts (newspapers, stock briefs, ...)
2. Correct Prediction: Reward of \$0 for that day.
3. Wrong Prediction: Costs us \$1 for that day.

**Problem:** Devise an algorithm that predicts for each day.

Suppose we are at day  $t$ , where  $t \in \{1, \dots, T\}$ .

Algorithm can utilize previous predictions for  $t - 1$  days + experts advises for days  $1, \dots, t$

**Objective:** At the end of  $T$  days, we want to be competitive with respect to any expert. Our cost (loss) is not significantly higher than the cost of any expert (including the best expert).

**Introduction to Algorithms**, by **Cormen, Leiserson, Rivest and Stein**

4th Edition, MIT Press, 2022.

Chapter 33: Machine Learning

33.1 Clustering

33.2 **Multiplicative Weights Algorithm**

33.3 Gradient Descent

Numerous Applications:

- Replaces solving linear programs for important class of problems.
- Applications in game theory
- Online Learning
- Approximating numerous combinatorial optimization problems
- Fastest algorithm for Network Flow

### Extra Knowledge

- Among the  $n$  experts there is at least one expert who is always correct.
- We don't know their identity.

Extra Knowledge: The best expert(s) always makes correct prediction.

Let the set of experts be  $E = \{1, \dots, n\}$

For each day  $t := 1$  to  $T$  do:

- Step 1:** Among all the remaining experts in  $E$ , poll them to find the prediction of the majority of them for that day. Record that as the prediction of the algorithm.
- Step 2:** Observe the true outcome at the end of the day. Discard all those experts that predicted wrong from  $E$  from future considerations.

## Warmup (contd.)

### #Wrong Predictions

Algorithm makes at most  $\lceil \log_2 n \rceil$  wrong predictions

### Proof.

At least half of the remaining experts are discarded for future consideration when the algorithm makes an incorrect prediction.

# mistakes	0	1	2	3	...
# remaining experts	$n$	$\leq n/2$	$\leq n/4$	$\leq n/8$	...

□



## MWU Method

---

## Extra Knowledge

- Among the  $n$  experts there is at least one expert who makes fewer than  $m$  mistakes over the period of  $T$  days.
- We call them the best experts.
- We don't know the identity of the best experts.

## Multiplicative-Weight Update Method - Idea

Extra Knowledge: The best expert(s) makes  $\leq m$  mistakes over the period of  $T$  days.

Let the set of experts be  $E = \{1, \dots, n\}$

For each expert  $i$ , set its weight  $w_i^1 = 1$

For each day  $t := 1$  to  $T$  do:

**Step 1:** Find the weighted majority prediction of the experts. Sum total the weights of all the experts that predict  $\uparrow$  (respectively,  $\downarrow$ ). Whichever of the two sums is higher is the prediction for the day  $t$ .

**Step 2:** Observe the true outcome at the end of the day  $t$

**Step 3:** For all the experts  $i$  that predicted wrongly, their weight is set to  $w_i^{t+1} = w_i^t/2$ . For all others,  $w_i^{t+1} = w_i^t$ .

## Potential Function

---

## Potential Function $\Phi^t$

Define the potential function  $\Phi^t$  for day  $t \in \{1, \dots, T\}$  to be the sum total of the weights of all the experts at the start of the day  $t$ , i.e.  $\Phi^t = \sum_{i=1}^n w_i^t$

### Observations:

1.  $\Phi^1 = \sum_{i=1}^n w_i^1 = \sum_{i=1}^n 1 = n$
2. If the algorithm makes a wrong prediction on day  $t$ ,  $\Phi^{t+1} \leq \frac{3}{4}\Phi^t$
3. If the algorithm has made  $M$  mistakes in  $T$  days, its total weight at the end of day  $T$ ,  $\Phi^{T+1} \leq \left(\frac{3}{4}\right)^M \Phi^1 = \left(\frac{3}{4}\right)^M n$

## Observation 2

### Bounding Potential Function

If the algorithm makes a wrong prediction on day  $t$ ,  $\Phi^{t+1} \leq \frac{3}{4}\Phi^t$ .

### Proof.

Define  $\Phi^t(\uparrow) = \sum_{\text{expert } i \text{ predicts } \uparrow} w_i^t$ , and

$\Phi^t(\downarrow) = \sum_{\text{expert } i \text{ predicts } \downarrow} w_i^t$ .

We know,  $\Phi^t = \Phi^t(\uparrow) + \Phi^t(\downarrow)$ .

Assume  $\Phi^t(\uparrow) \geq \Phi^t(\downarrow) \implies \Phi^t(\uparrow) \geq \frac{1}{2}\Phi^t$  and  $\Phi^t(\downarrow) \leq \frac{1}{2}\Phi^t$ .

Since the algorithm makes a wrong prediction on the day  $t$ ,

$\Phi^{t+1} = \frac{1}{2}\Phi^t(\uparrow) + \Phi^t(\downarrow)$ .

Observe that  $\Phi^{t+1}$  is maximized when  $\Phi^t(\uparrow) = \Phi^t(\downarrow)$ .

$\implies \Phi^{t+1} \leq \frac{1}{4}\Phi^t + \frac{1}{2}\Phi^t = \frac{3}{4}\Phi^t$ . □

# Bounding Potential Function

Assume that the Best Expert is  $i$  (we don't know its identity).

## Bounds on Potential Function

Weight of the expert  $i$  at the end of day  $T$  is  $\geq (\frac{1}{2})^m$ .

Therefore,  $(\frac{1}{2})^m \leq \Phi^{T+1} \leq (\frac{3}{4})^M n$

## Proof.

Weight of expert  $i$  can't go lower than  $(\frac{1}{2})^m$ , as it can make at most  $m$  mistakes.

Since  $\Phi^{T+1}$  is sum of weights, including the best experts weight,  
 $(\frac{1}{2})^m \leq \Phi^{T+1}$ .

Observe,  $\Phi^{T+1} \leq \frac{3}{4}\Phi^T \leq (\frac{3}{4})^2 \Phi^{T-1} \leq \dots \leq (\frac{3}{4})^M \Phi^1 = (\frac{3}{4})^M n$ .

□

## Bounding number of mistakes

The algorithm makes at most  $2.41(m + \log n)$  mistakes.

### Proof.

We had  $(\frac{1}{2})^m \leq \Phi^{T+1} \leq (\frac{3}{4})^M n$ .

Take log's:

$$-m \leq M \log\left(\frac{3}{4}\right) + \log n$$

$$-M \log\left(\frac{3}{4}\right) \leq m + \log n$$

$$M \log\left(\frac{4}{3}\right) \leq m + \log n$$

$$M \leq 2.41(m + \log n)$$





Choose  $\eta \in (0, \frac{1}{2}]$

Let the set of experts be  $E = \{1, \dots, n\}$

For each expert  $i$ , set its starting weight  $w_i^1 = 1$

For each day  $t := 1$  to  $T$  do:

**Step 1:** Find the weighted majority prediction of the experts. Sum total the weights of all the experts that predict  $\uparrow$  (respectively,  $\downarrow$ ). Whichever of the two sums is higher is the prediction for the day  $t$ .

**Step 2:** Observe the true outcome at the end of the day  $t$

**Step 3:** For all the experts  $i$  that predicted wrongly, their weight is set to  $w_i^{t+1} = (1 - \eta)w_i^t$ . For all others,  $w_i^{t+1} = w_i^t$ .

## Upper Bounding the Potential Function

Suppose the algorithm made a mistake on the day  $t$ , i.e., the majority weighted prediction was incorrect.

### An Upper Bound

$$\Phi^{t+1} \leq (1 - \frac{\eta}{2})\Phi^t.$$

### Proof.

Assume weighted majority prediction was in favor of  $\uparrow$ .

Note  $\Phi^t(\uparrow) \geq \frac{1}{2}\Phi^t \geq \Phi^t(\downarrow)$ .

Given the assumption, we have

$$\begin{aligned}\Phi^{t+1} &= \Phi^t(\downarrow) + (1 - \eta)\Phi^t(\uparrow) \\ &= \Phi^t(\downarrow) + \Phi^t(\uparrow) - \eta\Phi^t(\uparrow) \\ &\leq \Phi^t - \frac{\eta}{2}\Phi^t \\ &= (1 - \frac{\eta}{2})\Phi^t\end{aligned}$$

□

We have assumed that the algorithm makes at most  $M$  mistakes and that the best expert makes at most  $m$  mistakes over  $T$  days.

## New Bound

For any  $\eta \in (0, \frac{1}{2}]$ , we have  $M \leq 2(1 + \eta)m + \frac{2}{\eta} \log n$

## Proof.

We have  $(1 - \eta)^m \leq \Phi^{T+1} \leq (1 - \frac{\eta}{2})^M n$ .

Take log's and use  $-\eta - \eta^2 \leq \ln(1 - \eta) \leq -\eta$  for  $\eta \in [0, \frac{1}{2}]$ .

$$m \ln(1 - \eta) \leq M \ln(1 - \frac{\eta}{2}) + \ln n$$

$$-m(\eta + \eta^2) \leq -M \frac{\eta}{2} + \ln n$$

$$M \frac{\eta}{2} \leq \ln n + (\eta + \eta^2)m$$

$$M \leq \frac{2}{\eta} \ln n + 2(1 + \eta)m$$



## An Example

For any  $\eta \in (0, \frac{1}{2}]$ , we have  $M \leq 2(1 + \eta)m + \frac{2}{\eta} \log n$

**Example:** Two experts  $A$  and  $B$ .

$A$  predicts ( $\uparrow, \downarrow$ ) correctly only on even numbered days

$B$  predicts ( $\uparrow, \downarrow$ ) correctly only on odd numbered days

Best Expert: Wrong half the time.

How many days the Algorithm makes wrong predictions?

## Randomization

---

How to remove the multiplicative factor of 2 in  $M \leq 2(1 + \eta)m + \frac{2}{\eta} \log n$ ?

Use Randomization

## Generalizations

- So far, we have had two actions/events/outcomes/possibilities ( $\uparrow, \downarrow$ ).
- Assume that we have  $Q$  possible events.
- For any day  $t$ , one of the possible  $Q$  events occur.
- For each expert  $i$ , and for each possible event  $q \in Q$  for day  $t$ , the loss (cost) incurred to expert  $i$  on day  $t$  is given by  $m_i^t(q) \in [0, 1]$ .
- Note that the losses don't have to be 0 or 1, but can be any real number between 0 and 1.
- To keep the notation simple, we will say that the loss of expert  $i$  on the day  $t$  is  $m_i^t$ .

## Objectives

Let  $m_i^t \in [0, 1]$  denote the loss of expert  $i \in \{1, \dots, n\}$  on day  $t \in \{1, \dots, T\}$

**Objective:** Algorithm to be competitive against the cost incurred by the best expert. Assume  $i$  is the (unknown) best expert.

Its total cost over  $T$  days is  $\sum_{t=1}^T m_i^t$ .

$M^t =$  Expected cost that the algorithm incurs on the day  $t$ .

Our algorithm should have the following guarantee:

$$\sum_{i=1}^T M^t \leq \frac{\ln n}{\eta} + (1 + \eta) \sum_{t=1}^T m_i^t$$

Total expected cost over  $T$  days is within an additive factor  $\frac{\ln n}{\eta}$  and a multiplicative factor  $(1 + \eta)$  of the best expert.



## Multiplicative Weight Update Method

Set of experts  $E = \{1, \dots, n\}$ .

Let  $\eta$  be any real number in  $[0, \frac{1}{2}]$

For each expert  $i$ , set its initial weight  $w_i^1 = 1$ .

For each day  $t := 1$  to  $T$  do:

**Step 1:** Define  $\Phi^t = \sum_{i=1}^n w_i^t$

For each expert  $i$ , compute the probability  $p_i^t = \frac{w_i^t}{\Phi^t}$ .

**Step 2:** Choose an expert based on their probabilities and predict according to its chosen action (among  $Q$  possible actions). Suppose  $q \in Q$  is the chosen action on the day  $t$ .

**Step 3:** Update Weights: For each expert  $i$  set  $w_i^{t+1} = w_i^t(1 - \eta m_i^t)$ . Note  $m_i^t = m_i^t(q) \in [0, 1]$ .

### Expected loss $M^t$

The expected loss  $M^t$  that the algorithm incurs on the day  $t$  is given by

$$M^t = \sum_{i=1}^n p_i^t m_i^t = \langle p^t \cdot m^t \rangle, \quad (1)$$

where  $p^t = (p_1^t, p_2^t, \dots, p_n^t)$  and  $m^t = (m_1^t, m_2^t, \dots, m_n^t)$  and their dot product is  $\langle p^t \cdot m^t \rangle$

## Potential Function

For any  $t \in \{1, \dots, T\}$ :  $\Phi^{t+1} \leq \Phi^t e^{-\eta M^t}$ .

Moreover,  $\Phi^{T+1} \leq n e^{-\eta \sum_{t=1}^T M^t}$

## Proof.

$$\begin{aligned}\Phi^{t+1} &= \sum_{i=1}^n w_i^{t+1} = \sum_{i=1}^n w_i^t (1 - \eta m_i^t) = \sum_{i=1}^n w_i^t - \eta \sum_{i=1}^n w_i^t m_i^t \\ &= \Phi^t - \eta \sum_{i=1}^n \Phi^t p_i^t m_i^t = \Phi^t (1 - \eta \langle p^t \cdot m^t \rangle) \\ &\leq \Phi^t e^{-\eta \langle p^t \cdot m^t \rangle} = \Phi^t e^{-\eta M^t}\end{aligned}$$

Using induction on  $t$ , we obtain

$$\Phi^{T+1} \leq \Phi^0 e^{-\eta \sum_{t=1}^T M^t} = n e^{-\eta \sum_{t=1}^T M^t}$$



## Lower Bound

For any expert  $i$ ,  $\Phi^{T+1} \geq (1 - \eta)^{\sum_{t=1}^T m_i^t}$

## Proof.

Since all  $m_i^t \in [0, 1]$ ,  $w_i^t \geq 0$ .

$\implies \Phi^{t+1} \geq w_i^{t+1}$  for any individual weight as  $\Phi^{t+1} = \sum_{i=1}^n w_i^{t+1}$

Note: For  $\epsilon \in [0, 1]$ ,  $1 - \epsilon x \geq (1 - \epsilon)^x$  if  $x \in [0, 1]$

Using the update rule of  $w_i^{t+1}$ , we have

$$\Phi^{T+1} \geq w_i^{T+1} = w_i^T (1 - \eta m_i^T) = w_i^1 \prod_{t=1}^T (1 - \eta m_i^t) \geq (1 - \eta)^{\sum_{t=1}^T m_i^t} \quad \square$$

## Putting Lower & Upper Bounds Together

Putting upper and lower bounds for  $\Phi^{T+1}$  we have

$$ne^{-\eta \sum_{t=1}^T M^t} \geq \Phi^{T+1} \geq (1 - \eta)^{\sum_{t=1}^T m_i^t} \quad (2)$$

Take log's and divide by  $\eta$ :

$$\frac{\ln n}{\eta} - \sum_{t=1}^T M^t \geq \frac{\ln(1 - \eta)}{\eta} \sum_{t=1}^T m_i^t \quad (3)$$

This is equivalent to

$$\sum_{t=1}^T M^t \leq \frac{\ln n}{\eta} - \frac{\ln(1 - \eta)}{\eta} \sum_{t=1}^T m_i^t \quad (4)$$

## Putting Lower & Upper Bounds Together (contd.)

Use  $\eta \in [0, \frac{1}{2}]$ ,  $-\eta - \eta^2 \leq \ln(1 - \eta)$  and we obtain:

$$\sum_{t=1}^T M^t \leq \frac{\ln n}{\eta} + \frac{\eta + \eta^2}{\eta} \sum_{t=1}^T m_i^t \quad (5)$$

Equivalently,

$$\sum_{t=1}^T M^t \leq \frac{\ln n}{\eta} + (1 + \eta) \sum_{t=1}^T m_i^t$$

## $\pm 1$ Costs

---

The costs of each expert can be positive or negative, i.e.  $m_i^t \in [-1, 1]$ . Use the same algorithm as for the cost  $[0, 1]$ :

### MWU with costs in $[-1, 1]$

Set of experts  $E = \{1, \dots, n\}$ .

Let  $\eta$  be any real number in  $[0, \frac{1}{2}]$ .

For each expert  $i$ , set its initial weight  $w_i^1 = 1$ .

For each day  $t := 1$  to  $T$  do:

**Step 1:** Define  $\Phi^t = \sum_{i=1}^n w_i^t$ .

For each expert  $i$ , compute  $p_i^t = \frac{w_i^t}{\Phi^t}$ .

**Step 2:** Choose an expert based on their probabilities and predict according to the chosen expert.

**Step 3:** Update Weights: For each expert  $i$  set  $w_i^{t+1} = w_i^t(1 - \eta m_i^t)$ .



## Upper Bound

$$\Phi^{T+1} \leq ne^{-\eta \sum_{t=1}^T M^t}$$

## Proof.

The expected cost of the algorithm on day  $t$ :  $M^t = \sum_{i=1}^n p_i^t m_i^t = \langle p^t \cdot m^t \rangle$

The upper bound for  $\Phi^{t+1}$  follows the same analysis:

$$\Phi^{t+1} = \sum_{i=1}^n w_i^{t+1} = \sum_{i=1}^n w_i^t (1 - \eta m_i^t) \leq \Phi^t e^{-\eta M^t}$$

And using induction on  $t$  we have  $\Phi^{T+1} \leq ne^{-\eta \sum_{t=1}^T M^t}$  □

## Lower Bound

$$\Phi^{T+1} \geq (1 - \eta)^{\sum_{m_i^t \geq 0} m_i^t} (1 + \eta)^{-\sum_{m_i^t < 0} m_i^t}$$

## Proof.

Since  $m_i^t \in [-1, 1]$ , we have  $1 - \eta m_i^t \geq 0$ .

Thus,  $w_i^t \geq 0 \implies \Phi^{t+1} \geq w_i^{t+1}$  for any individual weight.

From the update rule of  $w_i^{t+1}$ :  $\Phi^{T+1} \geq w_i^{T+1} = \prod_{t=1}^T (1 - \eta m_i^t)$ .

Group for each day the positive  $m_i^t$ 's and the negative  $m_i^t$ 's:

$$\Phi^{T+1} \geq (1 - \eta)^{\sum_{m_i^t \geq 0} m_i^t} (1 + \eta)^{-\sum_{m_i^t < 0} m_i^t}$$

□

## Upper+Lower Bound

Note: For  $\epsilon \in [0, 1]$ :

If  $x \in [0, 1]$ ,  $(1 - \epsilon)^x \leq 1 - \epsilon x$ .

If  $x \in [-1, 0]$ ,  $(1 + \epsilon)^{-x} \leq 1 - \epsilon x$ .

$$ne^{-\eta \sum_{t=1}^T M^t} \geq (1 - \eta)^{\sum_{m_i^t \geq 0} m_i^t} (1 + \eta)^{-\sum_{m_i^t < 0} m_i^t}$$

Take log's and divide by  $\eta$ :

$$\frac{\ln n}{\eta} - \sum_{t=1}^T M^t \geq \frac{\ln(1 - \eta)}{\eta} \sum_{m_i^t \geq 0} m_i^t - \frac{\ln(1 + \eta)}{\eta} \sum_{m_i^t < 0} m_i^t$$

$$\sum_{t=1}^T M^t \leq \frac{\ln n}{\eta} - \frac{\ln(1 - \eta)}{\eta} \sum_{m_i^t \geq 0} m_i^t + \frac{\ln(1 + \eta)}{\eta} \sum_{m_i^t < 0} m_i^t$$

## Upper+Lower Bound (contd.)

Use,  $\eta + \eta^2 \geq -\ln(1 - \eta)$  and  $\ln(1 + \eta) \geq \eta - \eta^2$ , for  $\eta \in [0, \frac{1}{2}]$ .

$$\sum_{t=1}^T M^t \leq \frac{\ln n}{\eta} + (1 + \eta) \sum_{m_i^t \geq 0} m_i^t + (1 - \eta) \sum_{m_i^t < 0} m_i^t$$

Note:  $(\eta - \eta^2) \sum_{m_i^t < 0} m_i^t \geq \ln(1 + \eta) \sum_{m_i^t < 0} m_i^t$  because of negative values.

On expanding, we obtain

$$\sum_{t=1}^T M^t \leq \frac{\ln n}{\eta} + \eta \sum_{t=1}^T |m_i^t| + \sum_{t=1}^T m_i^t$$

Since  $|m_i^t| \leq 1$ , we have

$$\sum_{t=1}^T M^t \leq \frac{\ln n}{\eta} + \eta T + \sum_{t=1}^T m_i^t$$

## Cost of MWU

By setting  $\eta = \sqrt{\frac{\ln n}{T}}$  in  $\sum_{t=1}^T M^t \leq \frac{\ln n}{\eta} + \eta T + \sum_{t=1}^T m_i^t$ , we obtain

$$\sum_{t=1}^T M^t \leq 2\sqrt{T \ln n} + \sum_{t=1}^T m_i^t$$

Interpretation: The cost of the MWU algorithm is off by an additive factor that is proportional to the square root of the product of the number of days and the number of experts compared to the best expert.

**Average Error:** Consider the average error on each day (divided by  $T$ ):

$$\frac{1}{T} \sum_{t=1}^T M^t \leq 2\sqrt{\frac{\ln n}{T}} + \frac{1}{T} \sum_{t=1}^T m_i^t$$

Observe that as  $T$  increases, the average error drops down. Therefore, the MWU method can learn from experts reasonably well when executed over several days.

## Generalizations

---

The costs of each expert is in  $m_i^t \in [-l, \rho]$ , where  $l < \rho$ .

### MWU with costs in $[-l, \rho]$

Set of experts  $E = \{1, \dots, n\}$ .

Let  $\eta$  be any real number in  $[0, \frac{1}{2}]$

For each expert  $i$ , set its weight  $w_i^1 = 1$

For each day  $t := 1$  to  $T$  do:

**Step 1:** Define  $\Phi^t = \sum_{i=1}^n w_i^t$ . For each expert  $i$ , compute  $p_i^t = \frac{w_i^t}{\Phi^t}$

**Step 2:** Choose an expert based on their probabilities and predict according to the chosen expert

**Step 3:** Update Weights: For each expert  $i$  set

$$w_i^{t+1} = \begin{cases} w_i^t (1 - \eta)^{\frac{m_i^t}{\rho}}, & \text{if } m_i^t \geq 0 \\ w_i^t (1 + \eta)^{-\frac{m_i^t}{\rho}}, & \text{if } m_i^t < 0 \end{cases}$$

As  $m_i^t/\rho \in [-1, +1]$ , we have

## Upper Bound

$$\Phi^{T+1} \leq ne^{-\eta \sum_{t=1}^T \frac{M^t}{\rho}}$$

## Lower Bound

$$\Phi^{T+1} \geq (1 - \eta)^{\sum_{m_i^t \geq 0} \frac{m_i^t}{\rho}} (1 + \eta)^{-\sum_{m_i^t < 0} \frac{m_i^t}{\rho}}$$



## Theorem

$$\sum_{t=1}^T M^t \leq \frac{\rho \ln n}{\eta} + (1 + \eta) \sum_{m_i^t \geq 0} m_i^t + (1 - \eta) \sum_{m_i^t < 0} m_i^t$$

## Corollary

If  $\eta \leq \min(\frac{1}{2}, \frac{\epsilon}{4\rho})$  for some error parameter  $\epsilon$ , after  $T = \frac{16\rho^2 \ln n}{\epsilon^2}$  days, the average expected loss is given by

$$\frac{1}{T} \sum_{t=1}^T M^t \leq \epsilon + \frac{1}{T} \sum_t m_i^t$$

## Applications

---

Numerous applications including:

1. 2-Player Zero-Sum Games
2. Is the linear system  $Ax \geq b, x \geq 0$ , feasible?
3. Multi-commodity Flow Problems: Give  $k$  source-sink pairs, and capacities on edges of a graph, maximize the total flow from each  $s_i$  to  $t_i$ , respecting the capacity constraint on each edge.
4. LP for bounded number of variables.
5. Approximate set cover.
6. Ada Boost algorithm in ML.
7. Winnow Algorithm - Hedge Algorithm - Weighted Majority Algorithm.

Let  $A$  be a  $n \times m$  matrix,  $b$  is a vector of length  $m$ ,  
 $\mathcal{P}$  is the convex feasibility region.

## Approximate Abstract Feasibility Problem

Let  $\epsilon \geq 0$  be an error parameter.

If  $z \in \mathcal{P}$  and  $Az \geq b$  is feasible

- Report  $x \in \mathcal{P}$  such that  $\forall i \in \{1, \dots, n\}: A_i x \geq b_i - \epsilon$

Else, report infeasibility.

Typically, LP problems have an objective function to minimize/maximize.

There are standard methods that can turn an optimization problem to a decision problem (i.e. the feasibility problem).

Moreover, we assume, we are given an  $\rho$ -bounded oracle.

The  $\rho$ -bounded oracle takes as input a probability distribution

$p = (p_1, \dots, p_n)$ , where  $\sum_{i=1}^m p_i = 1$ , on the rows of  $A$  and returns the following:

### $\rho$ -bounded oracle

If  $x \in \mathcal{P}$  and  $p^T Ax \geq p^T b$  is feasible,

return  $x^* \in \mathcal{P}$  such that  $\forall i : |A_i x^* - b_i| \leq \rho$ .

Otherwise, return that the system is infeasible.

**Note:**  $p^T Ax \geq p^T b$  is a single inequality.

Its a linear combination of rows of  $A$  given by the vector  $p$ .

Finding  $x \in \mathcal{P}$  that satisfies a single constraint  $p^T Ax \geq p^T b$  is an easier problem than satisfying all the constraints of  $Ax \geq b$ .

Next, we apply the MWU method for solving LPs.

Each constraint (i.e., row  $i$  of  $A$ ) is associated to an expert  $i$ , and its cost/regret for day  $t$  is given by  $m_i^t = \frac{1}{\rho}(A_i x^t - b_i)$ .

**Step 1:** Fix an  $\eta \in [0, \min(\frac{1}{2}, \frac{\epsilon}{2\rho})]$  and set  $w^1 = (1, \dots, 1)$ .

**Step 2:** For  $t = 1$  to  $T = 4 \frac{\rho^2 \ln n}{\epsilon^2}$  days do:

1. Compute  $p^t = (\frac{w_1^t}{\Phi^t}, \dots, \frac{w_n^t}{\Phi^t})$ , where  $\Phi^t = \sum_{i=1}^n w_i^t$ .
2. Execute the  $\rho$ -bounded oracle for  $p^t$ . It either returns that the system is infeasible and we STOP or returns the vector  $x^t$ .
3. Compute the costs of each expert  $i$  by evaluating  $m_i^t = \frac{1}{\rho}(A_i x^t - b_i)$ . (Note  $m_i^t \in [-1, 1]$ .)
4. Update weights for each expert  $i$ :  $w_i^{t+1} = w_i^t(1 - \eta m_i^t)$ .

**Step 3:** If we didn't report infeasibility during the  $T$  days of execution, return  $\bar{x} = \frac{1}{T} \sum_{t=1}^T x^t$  as an approximation to the LP.

## Observations

1. If  $A_i x^t \geq b_i$ , then  $m_i^t \geq 0$  and the  $i$ -th constraint is satisfied.  
If  $A_i x^t < b_i$ , then  $m_i^t < 0$ .  
 $\implies$  for the rows of  $A$  for which the constraints are satisfied their weights will be smaller compared to the rows for which the constraints are not satisfied.
2. In the next round the unsatisfied rows (experts) will get higher probabilities compared to the satisfied rows. The more unsatisfied the row is, higher its probability, and bigger its proportion in  $p^T A x \geq p^T b$  in the call to  $\rho$ -bounded oracle. Hence it has higher chances to get satisfied in future rounds.
3. Suppose we didn't report infeasibility on any of the  $T$  days of execution of MWU Method. We claim that  $\bar{x} = \frac{1}{T} \sum_{t=1}^T x^t$ , which is a convex combination (average) of  $T$  feasible vectors, is within the polytope  $\mathcal{P}$ .

## Analysis (Contd.)

### Claim

Assume that in Step 2, the MWU method didn't report infeasibility for the entire run of the algorithm. Then,  $\bar{x} \in \mathcal{P}$

### Proof.

By definition,  $\bar{x} = \frac{1}{T} \sum_{t=1}^T x^t$ , where each  $x^t \in \mathcal{P}$  by construction.

Convex combination of  $x^1, \dots, x^T$  is also in the convex region  $\mathcal{P}$ . □

From the analysis of MWU Method we know that the expected cost of this algorithm is bounded with respect to the cost of any expert  $i$  by

$$\sum_{t=1}^T M^t = \sum_{t=1}^T (p^t)^T \cdot m^t \leq \frac{\ln n}{\eta} + \eta T + \sum_{t=1}^T m_i^t$$

First we show that  $M^t$ 's are non-negative.



### Claim

For each  $t = 1, \dots, T$ ,  $M^t \geq 0$ . Moreover,  $\sum_{t=1}^T M^t \geq 0$ .

### Proof.

Since  $m^t = \frac{1}{\rho}(Ax^t - b)$ , we have

$$M^t = (p^t)^T \cdot m^t = \frac{1}{\rho} \left( (p^t)^T \cdot (Ax^t - b) \right) = \frac{1}{\rho} \left( (p^t)^T \cdot Ax^t - (p^t)^T \cdot b \right) \geq 0$$

The last inequality holds as the system is satisfied, i.e.  $(p^t)^T Ax^t \geq p^t b$ , because of the  $\rho$ -bounded oracle in Step 2.. □

## Claim

For each  $i = 1, \dots, n$ ,  $A_i \bar{x} \geq b_i - \epsilon$ , where  $\bar{x} = \frac{1}{T} \sum_{t=1}^T x^t$ .

## Proof.

- For  $t = 1, \dots, T$ , each  $M^t \geq 0 \implies \frac{\ln n}{\eta} + \eta T + \sum_{t=1}^T m_i^t \geq \sum_{t=1}^T M^t \geq 0$ .
- Substitute  $m_i^t = \frac{1}{\rho}(A_i x^t - b_i)$ , we obtain:  $\frac{\ln n}{\eta} + \eta T + \frac{1}{\rho} \sum_{t=1}^T (A_i x^t - b_i) \geq 0$ .
- This is equivalent to  $\frac{\ln n}{\eta} + \eta T + \frac{1}{\rho} \sum_{t=1}^T A_i x^t - \frac{T}{\rho} b_i \geq 0$ .
- Multiply by  $\frac{\rho}{T}$  and use  $\bar{x} = \frac{1}{T} \sum_{t=1}^T x^t$ :

$$\frac{\rho \ln n}{T \eta} + \rho \eta + A_i \bar{x} - b_i \geq 0$$

- Substitute  $T = 4 \frac{\rho^2 \ln n}{\epsilon^2}$  and  $\eta \in [0, \min(\frac{1}{2}, \frac{\epsilon}{2\rho})]$  we obtain

$$\epsilon + A_i \bar{x} - b_i \geq 0$$

## Computational Complexity

- We run the algorithm for  $T$  days.
- For each day we make a call to the  $\rho$ -bounded oracle.
- The overall time complexity is bounded by the time it takes to run  $O(\frac{\rho^2 \ln n}{\epsilon^2})$  calls to the oracle.
- Note that we didn't execute a simplex or any algorithm for LP!
- Except the MWU steps, the main work is carried in designing an appropriate  $\rho$ -bounded oracle. This depends on the specific LP problem.

**Input:** A universe  $U$  consisting of  $n$  elements.

A set of  $m$  subsets  $\mathcal{S} = \{S_1, S_2, \dots, S_m\}$  of  $U$  such that  $\cup_{i=1}^m S_i = U$ .

**Output:** Find a minimum number of subsets of  $\mathcal{S}$  such that their union covers all elements of  $U$ .

Let us look at the integer linear program for set cover. Define a 0 – 1 indicator variable  $x_S$  for each set  $S \in \mathcal{S}$ , where  $x_S = 1$  if and only if  $S$  is included in the set cover.

The ILP formulation is:

$$\begin{aligned} \min \quad & \sum_{S \in \mathcal{S}} x_S \\ \forall u \in U : \quad & \sum_{u \in S} x_S \geq 1 \\ \forall S \in \mathcal{S} : \quad & x_S \in \{0, 1\} \end{aligned}$$

The fractional linear program (LP) is where we replace the integrality constraint  $x_S \in \{0, 1\}$  by  $0 \leq x_S \leq 1$ . Moreover, we can replace  $0 \leq x_S \leq 1$  by  $x_S \geq 0$  as this is a minimization problem.

## Optimization Problem $\rightarrow$ Feasibility Problem

- The value of the objective function in ILP formulation is one of the numbers  $\{1, \dots, m\}$ .
- Suppose we guess that the size of the set cover is  $\beta \in \{1, \dots, m\}$ .
- If the following feasibility inequality can be satisfied, we know that the optimal value is at most  $\beta$ .

$$\forall u \in U : \sum_{u \in S} x_S \geq 1$$

$$\sum_{S \in \mathcal{S}} x_S \leq \beta$$

$$\forall S \in \mathcal{S} : x_S \geq 0$$

- We can perform a binary search to find the true optimal value.

## Fractional Set Cover Feasibility Problem

Let  $\mathcal{P} = \{x \in \mathbb{R}^m \mid \sum_{i=1}^m x_i \leq \beta \wedge \forall i \in \{1, \dots, m\}, x_i \geq 0\}$ .

$\mathcal{P}$  is a convex polytope that defines the feasible region for LP.

We can express the feasibility problem succinctly as follows:

### Fractional Set Cover Feasibility Problem

Report  $x \in \mathcal{P}$  such that  $\forall u \in U : \sum_{u \in S} x_S \geq 1$ ,

Otherwise, report infeasibility.

We define an approximate abstract feasibility problem as:

### Approximate Abstract Feasibility Problem

Let  $\epsilon \geq 0$  be an error parameter.

If  $z \in \mathcal{P}$  and  $Az \geq b$  is feasible

- Report  $x \in \mathcal{P}$  such that  $\forall i \in \{1, \dots, n\} : A_i x \geq b_i - \epsilon$

Else, report infeasibility.

## Approximate Set Cover Feasibility Problem

Define a 0 – 1 characteristic matrix  $A$  of size  $n \times m$ . Elements of  $\mathcal{U} = \{u_1, \dots, u_n\}$  form rows and subsets in  $\mathcal{S} = \{S_1, \dots, S_m\}$  form columns.

$$A[i, j] = \begin{cases} 1, & \text{if } u_i \in S_j \\ 0, & \text{otherwise} \end{cases}$$

### Approximate Set Cover Feasibility Problem

**Input:** For a universe  $U$  of size  $n$  and  $m$ -subsets of  $U$ , we have

- characteristic matrix  $A$  of size  $n \times m$ ,
- vector  $b$  of length  $n$  consisting of 1's,
- Feasibility region  $\mathcal{P} = \{x \in \mathbb{R}^m \mid \sum_{i=1}^m x_i \leq \beta \wedge \forall i \in \{1, \dots, m\}, x_i \geq 0\}$ .
- Error parameter  $\epsilon \geq 0$ .

### Output:

If  $z \in \mathcal{P}$  and  $Az \geq b$  is feasible

- report  $x \in \mathcal{P}$  such that  $A_i x \geq 1 - \epsilon, \forall i \in \{1, \dots, n\}$ ,
- Else, report infeasibility.

Note:  $A_i$  represents the  $i$ -th row of matrix  $A$ .

Recall that the  $\rho$ -bounded oracle takes as input a probability distribution  $p = (p_1, \dots, p_n)$ , where  $\sum_{i=1}^m p_i = 1$ , on the rows of  $A$  and returns the following:

### $\rho$ -bounded oracle

If  $x \in \mathcal{P}$  and  $p^T Ax \geq p^T b$  is feasible,  
return  $x^* \in \mathcal{P}$  such that  $\forall i : |A_i x^* - b_i| \leq \rho$ .  
Otherwise, return that the system is infeasible.

For the set cover problem  $p^T b = 1$ , as  $b$  is the vector of all 1s, and  $p$  is a vector of probabilities that add to 1.



What do we want?

We want  $x \geq 0$ ,  $\sum_{S \in \mathcal{S}} x_S \leq \beta$ , and

$p^T Ax = \sum_{u \in U} p_u \left( \sum_{S \in \mathcal{S}} x_S \right) = \sum_{S \in \mathcal{S}} x_S p(S) \geq 1$ , where  $p(S)$  denotes the sum of the probabilities associated to the elements in  $S$ .

How to find  $x$ ?

- Find the set  $S \in \mathcal{S}$  that maximizes  $p(S)$  for the given vector  $p$ .
- Suppose the set  $S^* \in \mathcal{S}$  maximizes this value.
- Set  $x_{S^*} = \beta$  and for every other set  $S \neq S^*$  set  $x_S = 0$ .
- Observe that the vector  $x^*$  has 0's in all the coordinates except the coordinate corresponding to  $S^*$  where it is equal to  $\beta$ .

What do we want?

We want  $x \geq 0$ ,  $\sum_{i \in S} x_i \leq \beta$ , and $p^T Ax = \sum_{i \in U} p_i \left( \sum_{S \in \mathcal{S}} x_S \right) = \sum_{S \in \mathcal{S}} x_S p(S) \geq 1$ , where  $p(S)$  denotes the sum of the probabilities associated to the elements in  $S$ .How to find  $x$ ?- Find the set  $S \in \mathcal{S}$  that maximizes  $p(S)$  for the given vector  $p$ .- Suppose the set  $S^* \in \mathcal{S}$  maximizes this value.- Set  $x_{S^*} = \beta$  and for every other set  $S \neq S^*$  set  $x_S = 0$ .- Observe that the vector  $x^*$  has  $\beta$  in all the coordinates except the coordinate corresponding to  $S^*$  where it is equal to  $\beta$ .

- What are the two equalities in  $p^T Ax = \sum_{u \in U} p_u \left( \sum_{S \in \mathcal{S}} x_S \right) = \sum_{S \in \mathcal{S}} x_S p(S)$ ?

- We will interpret the product  $p^T Ax$  in two different ways

- Think of each element  $u_i \in U$  has an associated probability  $p_i$ .

**1st interpretation:** Product  $Ax$  is a vector of dimension  $n$ , where its  $i$ -th entry is the number of sets in  $\mathcal{S}$  that contain the element  $u_i$ .

-  $p^T Ax$  is the dot-product of vectors  $p^T$  and  $Ax$ , where the  $i$ -th entry in  $Ax$  is multiplied by the probability  $p_i$ .

- Thus,  $p^T Ax$  is the sum of the products of the probability  $p_i$  of element  $u_i$  times the number of occurrences of  $u_i$  in  $\mathcal{S}$ .

**2nd Interpretation:** For each set  $S \in \mathcal{S}$  sum up the probabilities associated to each element in that set (this is the quantity  $p(S)$ ).

- We take the sum  $p(S)$  over all sets so that for each element we take into account the number of times it occurs in the sets of  $\mathcal{S}$ .

-Therefore,  $p^T Ax = \sum_{u \in U} p_u \left( \sum_{S \in \mathcal{S}} x_S \right) = \sum_{S \in \mathcal{S}} x_S p(S)$ .

### $x^*$ is feasible

The vector  $x^* = (0, 0, \dots, \beta, 0, \dots, 0) \in \mathcal{P}$ , as each of its coordinates is  $\geq 0$  and the sum of the coordinates is  $\leq \beta$ .

Consider  $\sum_{S \in \mathcal{S}} x_S^* p(S)$ .

If  $\sum_{S \in \mathcal{S}} x_S^* p(S) \geq 1$ , we have the  $x^*$  that we are looking for.

### Claim

If  $\sum_{S \in \mathcal{S}} x_S^* p(S) < 1$ , then no other  $x \in \mathcal{P}$  can satisfy the inequality

$$\sum_{S \in \mathcal{S}} x_S p(S) \geq 1.$$

### Proof.

Note that under the constraints ( $x \geq 0$ ,  $\sum_{S \in \mathcal{S}} x_S \leq \beta$ ) the choice of  $x (=x^*)$  that maximizes the expression  $\sum_{S \in \mathcal{S}} x_S p(S)$  didn't satisfy the inequality. Any other assignment will have a value at most the max value.  $\square$

What should be the value of  $\rho$ ?

Find the smallest value  $\rho$  such that for all  $i \in \{1, \dots, n\}$ ,  $|A_i x^* - b_i| \leq \rho$ .

- Due to the choice of  $x^*$  and the matrix  $A$  being a 0 – 1 matrix, the product  $A_i x^*$  is either 0 or  $\beta$ .

- Thus  $|A_i x^* - b_i| = |A_i x^* - 1| \leq |\beta - 1| \leq \beta \leq m$ .

- Note that  $\beta \geq 1$  as the set cover consists of one or more sets to cover  $\mathcal{U}$ .

- Set  $\rho = \min\{\beta, m\}$ .

Now we have the required  $\rho$ -bounded oracle for the set cover.

### **$\rho$ -bounded oracle**

If  $x \in \mathcal{P}$  and  $p^T A x \geq p^T b$  is feasible,

we return  $x^* = (0, 0, \dots, \beta, 0, \dots, 0) \in \mathbb{R}^m$  such that  $\forall i : |A_i x^* - b_i| \leq \rho$ .

Otherwise, we return that the system is infeasible.

## Conclusions

---

## Algorithmic Techniques

- Divide-and-Conquer
- Greedy
- Graph Traversal
- Randomization
- Dynamic Programming
- Linear Programming
- ...
- ...
- Multiplicative-Weight Update Method

## References

- Arora, Hazan and Kale, The multiplicative weights update method: a meta-algorithm and applications, Theory of Computing 8(1): 121-164, 2012.
- Google Scholar's citations for Arora, Hazan and Kale's Survey Paper: ( $\approx$  1000 citations)
- Several Lecture Notes
- MWU is latest addition in CLRS Algorithms textbook's 4th ed. (falls under the Machine Learning chapter.)